



®

SUPERLOK®

TOGGLE VALVES

STV Series

FEATURES


- Compact design.
- Quick acting.
- Orifice sizes from 0.080 to 0.250 in.(2.0 to 6.4 mm).
- Flow coefficients (Cv) from 0.11 to 0.70.
- Straight, angle flow patterns.
- **SUPERLOK** tube fitting, male and female NPT, and Combination of end connections.
- Each and every valve is tested at the factory.



TECHNICAL DATA

Series	Orifice in.(mm)	Pressure - Temperature Rating	
		Temperature °F (°C)	Working Pressure psig (bar)
STV1031	0.080(2.0)	-20 to 200 °F (-28 to 93 °C)	300psig(20.6bar)
STV1032	0.125(3.2)		200psig(13.7bar)
	0.250(6.4)		


MATERIALS OF CONSTRUCTION



No.	Component	Material
1	Handle	Nylon
2	Roll Pin	SS304
3	Lock Nut	SS316
4	Handle Washer	Nylon
5	Packing Nut	SS316
6	Spring	Stainless Steel
7	Stem	SS316
8	O-Ring	Viton
9	Stem Tip	PTFE
10	Body	SS316

TOGGLE VALVES STV Series

STRAIGHT TYPE



ANGLE TYPE





TABLE OF DIMENSIONS

Part Number			Orifice (mm)	Cv	End Connection		Dimensions (mm)							
					Inlet	Outlet	A	B	B1	C	D	E	G	H
LOK- STV1031	M	2N	2.0	0.11	1/8 " Male NPT		38.1	19.0		27.0	23.4	7.9	13.5	72.9
	MS	2N-2			1/8 " Male NPT	1/8 "Superlok	43.9	19.0	24.9	32.8				
	S	2			1/8 " Superlok		49.8	24.9		32.8				
	S	3M			3mm Superlok		49.8	24.9		32.8				
LOK- STV1032	F	2N	3.2	0.20	1/8 " Female NPT		41.4	20.6		30.2	21.8	9.5	13.5	71.4
	F	4N	6.4	0.70	1/4 " Female NPT		53.8	26.9		39.6	26.9	12.7	16.8	90.4
	M	2N	3.2	0.20	1/8 " Male NPT		43.7	21.8		31.2	21.8	9.5	13.5	71.4
	M	4N			1/4 " Male NPT		49.8	24.9		34.5				
	M	6N	6.4	0.70	3/8 " Male NPT		57.2	28.4		41.1	26.9	12.7	16.8	90.4
	MS	4N-4	6.4	0.20	1/4 " Male NPT	1/4 "Superlok	53.6	24.9	28.7	38.1	21.8	9.5	13.5	71.4
	MF	2N			1/8 " Male NPT	1/8 "Female NPT	41.4	20.6		30.2				
	S	4	6.4	0.20	1/4 " Superlok		57.4	28.7		38.1	26.9	12.7	16.8	90.4
	S	6			3/8 " Superlok		65.5	32.8		45.5				
	S	8			1/2 " Superlok		71.7	35.6		48.3				
	S	6M	3.2	0.70	6mm Superlok		57.4	28.7		38.1	21.8	9.5	13.5	71.4
	S	8M			8mm Superlok		56.4	28.2		37.6				
	S	10M	6.4	0.70	10mm Superlok		69.1	34.5		47.2	26.9	12.7	16.8	90.4
	S	12M			12mm Superlok		74.2	37.1		49.8				

Dimension, shown on the above table, are measured with SUPERLOK nut in the finger-tight where applicable.

All dimension are for reference only, subject to change.

※ If require angle type valves, add-A to the end of part number. Ex) STV 1032-S-4-A


AUSTRALIA

STAUFF Corporation Pty. Ltd.
P. O. Box 227
Unanderra, NSW, 2526
24-26 Doyle Avenue
Unanderra, Wollongong, NSW, 2526
Tel.: +61 2 4271 18 77
Fax: +61 2 4271 84 32
sales@stauff.com.au

BRAZIL

STAUFF Brasil Ltda.
Avenida Gupê 10767
Galpão 2 - Bloco A
Barueri - São Paulo
CEP 06422-120
Tel.: +55 11 47 72 72 00
Fax: +55 11 47 72 72 10
stauff@stauffbrasil.com

CANADA

STAUFF Canada Ltd.
866 Milner Avenue
Scarborough
Ontario M1B 5N7
Tel.: +1 416 282 46 08
Fax: +1 416 282 30 39
sales@stauffcanada.com

CHINA

STAUFF International Trading
(Shanghai) Co., Ltd.
No. 41-42, Lane 369, Chuang Ye Road
Jushuo Industrial Zone, Kang Qiao
Shanghai, 201319
Tel.: +86 21 68 18 70 00
Fax: +86 21 68 18 71 36
info@stauff.com.cn

FRANCE

STAUFF S.A.S.
230, Avenue du Grain d'Or
Z.I. de Vineuil - Blois Sud
41354 Vineuil-cedex
Tel.: +33 2 54 50 55 50
Fax: +33 2 54 42 29 19
direction@stauffsa.com

INDIA

STAUFF India Pvt. Ltd.
Gat. No. 2340
Pune Nagar Road, Wagholi
Pune, 412207
Tel.: +91 20 6620 2473
Fax: +91 20 2705 1567
sales@stauffindia.com

ITALY

STAUFF Italia s.r.l.
Viale Nuova Valassina 78
angolo Via Baragiola sn
20033 Desio (MI)
Tel.: +39 0362 63 80 70
Fax: +39 0362 63 80 69
sales@stauff.it

IRELAND

STAUFF Ireland Ltd.
Unit B3
Weatherwell Business Park
Clondalkin
Dublin 22
Tel.: +353 1457 4936
Fax: +353 1467 0687
sales@stauff.ie

KOREA

STAUFF Korea Ltd.
1500-12, Dadae-Dong
Saha-Ku
Pusan, 604-826
Tel.: +82 51 266 6666
Fax: +82 51 266 8866
info@stauff.co.kr

NEW ZEALAND

STAUFF Corporation (NZ) Ltd.
P. O. Box 58517
Greenmount, Auckland
Unit D, 103 Harris Road
East Tamaki, Auckland
Tel.: +64 9 271 48 12
Fax: +64 9 271 48 32
info@stauff.co.nz

POLAND

STAUFF Polska Sp. z o.o.
Miszewko 43 A
80-297 Banino
Tel.: +48 58 660 11 60
Fax: +48 58 629 79 52
sales@stauff.pl

RUSSIAN FEDERATION

STAUFF LLC
Office 205, Building 7
Scharikopodschipnikovskaya 11
Moscow, 115088
Tel.: +7 495 987 36 29
+7 495 223 89 61
Fax: +7 495 679 90 48
sales@stauff.ru

UNITED KINGDOM

STAUFF UK
500, Carlisle Street East
Off Downgate Drive
Sheffield, S4 8BS
Tel.: +44 114 251 85 18
Fax: +44 114 251 85 19
sales@stauff.co.uk

UNITED STATES

STAUFF Corporation
7 Wm. Demarest Place
Waldwick, 07463-1542
New Jersey
Tel.: +1 201 444 78 00
Fax: +1 201 444 78 52
sales@stauffusa.com

Globally available through
wholly-owned branches and
distributors in all industrial
countries.

GERMANY
WALTER STAUFFENBERG GmbH & Co. KG

P. O. Box 1745
D-58777 Werdohl
Im Ehrenfeld 4
D-58791 Werdohl
Tel.: +49 23 92 916-0
Fax: +49 23 92 2505
filtrationtechnology@stauff.com
www.stauff.com